



DATASHEET

Logitech Tap

Deliver one-touch join, calendar integration, instant content sharing, and a consistent experience across meeting rooms. With a sleek design, silent operation, and motion sensor for always-on readiness, Tap brings ease and convenience to video collaboration.

Meeting room touch controller for video conferencing room solutions


More than just a meeting room touch controller, Logitech Tap is what helps you achieve a consistent user experience across your entire deployment.

Boasting a spacious 10.1" touchscreen, low-profile enclosure, and multiple mounting accessories, Logitech Tap delivers a sleek appearance and convenient placement options that support a wide range of room sizes and layouts. And with its HDMI input¹, content sharing is instant and effortless. Wireless content sharing is also available depending on your chosen video conferencing service.




- 1 One-touch join:** Easily start and join meetings with just one tap.
- 2 10.1" touch display:** Spacious and responsive touch screen resists fingerprints and glare for high legibility and easy operation.
- 3 Sleek, low profile:** Comfortable 14° angle allows for easy viewing, while providing an unobtrusive presence in the room.
- 4 Always-on readiness:** Built-in motion sensor saves power when idle, and powers on when a person approaches.
- 5 Headphone jack:** Extends the host computer's wired audio capabilities to the tabletop, ideal for private conversations and for the hearing-impaired.
- 6 Dual cable exits:** A sturdy metal cover with removable bottom and rear exits keep cables tidy and secure.
- 7 Clean cable management:** Built-in cable retention and strain relief system hides the cable entirely within its enclosure, and secures it to prevent unwanted disconnections.
- 8 USB accessory port:** Connect an accessory such as a USB speakerphone.
- 9 HDMI input for content sharing:** Provides instant wired content sharing when used with Google Meet, Microsoft Teams Rooms, and Zoom Rooms¹.
- 10 Anti-theft protection:** Keep Tap securely in place by connecting a security cable to one of the two Kensington lock slots, one on the bottom and another at the back.

Enterprise ready



Clean installation

Flexible cabling lets you locate Tap near participants for convenient operation while installing the host computer in a cabinet, beneath a table, or behind a display.





Multiple mounting options

Secure Tap flat to the table, raise the viewing angle, or mount it on the wall to conserve space, minimize cabling, and optimize the user experience.

Room solutions with Logitech Tap

Easily deploy video meetings with pre-configured Logitech room solutions for Google Meet and Microsoft Teams, which include everything you need — Tap, a conference camera or video bar, and PC compute — to start building meeting rooms of virtually any shape or size.



Find your perfect match

Tap works seamlessly with Logitech's lineup of PC-based video bars and modular systems for small, medium, and large rooms.



Laptop link for meeting rooms

Add bring-your-own-device versatility with Logitech Swytch, a convenient way to use the room's display and conference camera with any video meeting or webinar application.



Shown with Logitech Rally Bar.

Product Dimensions	Device Total Height x Width x Depth: 58 x 244 x 179 mm 2.3 x 9.6 x 7.0 in 1.25 kg (2.75 lbs) Touchscreen 10.1" diagonal screen Display Angle: 14° Resolution: 1280 x 800 Anti-fingerprint and anti-glare oleophobic coating	Device Management	Monitor and manage with Logitech Sync remote management, Microsoft Teams Admin Center, or Zoom Device Management platforms
Ports & Interfaces	USB 2.0/3.0/3.1 Type C (to PC) USB 2.0 Type A (for accessory connection) HDMI input ¹ (for content sharing) 3.5mm/1/8 " 4 pole Headset Jack Integrated ultrasonic speaker Integrated PIR Motion Sensor 100mm x 100mm VESA FDMI (Flat Display Mounting Interface) Kensington Lock Slots (2)	Compatibility and Certifications	Logitech Tap is certified as a touch controller for video conferencing room solutions: Google Meet GoToRoom Microsoft Teams Rooms Pexip Room RingCentral Rooms Zoom Rooms See www.logitech.com/support/tap-compatibility for pending and granted certifications and compatibility updates. DisplayLink Plug and Display™: Tap connects via USB as an additional display for supported operating systems, including Windows 10 and Chrome OS
Package Contents	Logitech Tap with Cat5e Kit Tap Touch Controller Cat5e Kit Logitech Tap Receiver Dongle Transceiver 100-240v Power Supply with International Adaptor Set 2.97 m Cat5e Cable 7.0 m Cat5e Cable HDMI 1.4a cable 2.0 m Microfiber Cloth Documentation	Optional Accessories	Table Mount Riser Mount Wall Mount Cat5e Kit (for Tap devices currently connected with Strong USB) Logitech Strong USB cable: 10 m, 25 m, 45 m (for Tap devices currently connected with Strong USB)
System Requirements	Windows® 10 or later Chrome™ OS 80 and higher CollabOS USB 2.0, 3.0, or 3.1 Type A port Cat5e (or higher) cables, combined maximum length: 40 m (131 ft)	Warranty	Standard: 2-year limited hardware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.
		Part Numbers	Logitech Tap with Cat5e Kit: Worldwide 939-001950 China 939-001951 Japan 939-001952 India 939-001953



www.logitech.com/Tap

Contact your reseller
Or contact us at
www.logitech.com/business

Logitech Americas
3930 North First St
San Jose, CA 95134 USA

Logitech Europe S.A.
EPFL - Quartier de l'Innovation
Daniel Borel Innovation Center
CH - 1015 Lausanne

Logitech Asia Pacific Ltd.
Tel : 852-2821-5900
Fax : 852-2520-2230

¹ HDMI-in for content sharing varies by provider and deployment. See [this article](#) for more details.

© 2025 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.