



4-Port HDMI KVM Switch 4K@30Hz

HDMI Single-Display Connection, Two USB-A Ports for Mouse and Keyboard, One USB-A Hub Port (up to 480 Mbps), USB-B, 3.5 mm Audio and Mic Host Connections, Black

Part No.: 154420

EAN-13: 0766623154420 | UPC: 766623154420

HDMI 4K 4-Port KVM Switch for Seamless Control and Enhanced Productivity

The 4-Port HDMI KVM Switch 4K@30Hz is the ultimate solution for professionals, IT admins, and multimedia users who need to manage up to four HDMI-equipped computers with a single keyboard, mouse, and monitor. Ideal for boosting efficiency, this versatile switch streamlines multitasking across multiple systems.

Crip 4K Visuals for Enhanced Clarity

Enjoy clear, detailed images with resolutions up to Ultra-High-Definition (UHD) 4K@30Hz (3840 \times 2160). Whether you're editing media, working with digital signage, or performing IT maintenance, this switch ensures sharp visuals with accurate colors and smooth performance.

Convenient Switching for Maximum Efficiency

Easily switch between your connected devices using the front-panel push button or convenient keyboard hot keys — ensuring fast transitions with minimal effort.

manhattan-products.com



Versatile Connectivity for Peripherals

The built-in USB 2.0 Type-A hub port allows you to connect essential devices like external storage drives, printers, and scanners — enhancing your workflow with seamless access to peripherals.

Features:

- Controls four HDMI and USB equipped computers from a single keyboard, mouse, and monitor
- Switching via front-panel push button or keyboard hot keys
- Resolutions up to Ultra-High-Definition (UHD) 4K@30Hz (3840 × 2160)
- One additional USB 2.0 Type-A hub port with 480 Mbps to connect storage drives, printers, scanners, and more
- Full stereo audio support through 3.5 mm speaker and microphone connections
- Digital audio support with Dolby True HD and DTS HD Master Audio
- Ideal for sharing multiple multimedia PCs or notebooks with a single HDMI TV
- Ideal for IT admins managing four systems during maintenance tasks, digital signage server control, medical imaging, multimedia design and more
- Compatible with Windows®, macOS®, and Linux®
- Rugged metal housing for maximum durability
- Three-year warranty

Specifications:

Standards and Certifications

- HDMI 1.4
- CE
- FCC
- RoHS
- REACH
- UKCA

Connections

- Console ports
 - 1 x HDMI Port 19-pin, female (for monitor)
 - 2 x USB-A 4-pin, female (for mouse and keyboard)
 - 2 x 3.5 mm stereo, female (for microphone/speaker audio)
 - 1 x USB-A 4-pin, female, 480 Mbps (for peripherals)
- Computer/host ports
 - 4 x HDMI Port 19-pin
- 4 x USB-B 4-pin, female



manhattan-products.com

- Other
- 1 x 5.0 V DC / 2.0 A power jack

LEDs

- PC1
- PC2
- PC3
- PC4
- Power

Physical

- Metal housing
- Dimensions (L x W x H): 270 x 110 x 35 mm
- Net weight: 1.7 kg
- Gross weight: 2.032 kg

System Requirements

• Windows, macOS or Linux

Package Contents

- 4x1 USB HDMI KVM Switch 4Kx2K
- DC Power adapter, 5.0 V DC / 2.0 A
- Connection cables
- Instructions

Note:

• Mac computers can only be controlled with a standard PC mouse and keyboard, not with Mac peripherals







manhattan-products.com

