

Crystal UHD Signage QBC

Product information sheet

FeaturesSpecsSupportCompare



*QBC series has earned an ENERGY STAR 8.0 certification from the Environmental Protection Agency for its energy efficiency and an Electronic Product Environmental Assessment Tool (EPEAT) certification in recognition of its eco-conscious efforts, such as its recycled plastic use.

Specifications

Display

Diagonal Size	Panel Type
65"	VA
Resolution	Pixel Pitch (HxV)
3,840 x 2,160	0.372x0.372mm
Brightness (Typ)	Contrast Ratio
350 nit	4,000:1
Viewing Angle (Horizontal/Vertical)	Response Time
178/178	8ms

Crystal UHD Signage QBC

Product information sheet

Features Specs Support Compare

H-Scanning Frequency 30~81kHz	Maximum Pixel Frequency 594MHz
V-Scanning Frequency 48~75Hz	Contrast Ratio (Dynamic) Mega
Operation Time Support 16/7	

Connectivity

HDMI In 3	DP In No
Version of HDMI 2	Version of DP No
Version of HDCP 2.2	USB 2
IR In Yes	Audio In No
Audio Out Stereo Mini Jack	RS232 In Yes
RS232 Out Yes	RJ45 In Yes
WiFi Yes	Bluetooth Yes

Power

Power Supply AC100-240V 50/60Hz	Power Consumption (On Mode) 187 W
Power Consumption (Sleep Mode) 0.5 W	

Crystal UHD Signage QBC

Product information sheet

Features Specs Support Compare

1450.8 x 831.7 x 28.3 mm

1010 x 745 x 104 mm

Weight

Set Weight with Stand
21.5 kg

Package Weight
28.0 kg

Operation Conditions

Temperature
0°C~ 40°C

Humidity
10 ~ 80%, non-condensing

Mechanical
Specification

VESA Mount
400 x 300 mm

Bezel Width
11.5mm (even)

Frame Material
Non-Glossy

Optional Feature

Mount
WMN-B50SC

Stand
STN-L6585C

SoC

OS Version
Tizen 7.0

Flash Memory Size
8GB

Eco

Energy Efficiency Class
G